AIRX 44HDQ

SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

EPA Reg. No. 1839-95-44089
EPA Est. No. 1459-PA-01

ACTIVE INGREDIENTS:
Alkyl (60% C_{14}, 30% C_{16}, 5% C_{12}, 5% C_{18})
dimethyl benzyl ammonium chlorides............................2.25%
Alkyl (68% C_{12}, 32% C_{14})
dimethyl ethylbenzyl ammonium chlorides.....................2.25%
INERT INGREDIENTS..95.50%
Total..100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. **If swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

AIRX LABORATORIES
P.O.Box 37, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com

AIRX 44HDQ
SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE
EPA Reg. No. 1839-95-44089
EPA Est. No. 1459-PA-01
ACTIVE INGREDIENTS:
Alkyl (60% C_{14}, 30% C_{16}, 5% C_{12}, 5% C_{18})
dimethyl benzyl ammonium chlorides............................2.25%
Alkyl (68% C_{12}, 32% C_{14})
dimethyl ethylbenzyl ammonium chlorides.....................2.25%
INERT INGREDIENTS..95.50%
Total..100.00%
KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO
FIRST AID
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
STORAGE AND DISPOSAL
DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.
CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.
AIRX LABORATORIES
P.O.Box 37, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com

AIRX 44HDQ
SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE
EPA Reg. No. 1839-95-44089
EPA Est. No. 1459-PA-01
ACTIVE INGREDIENTS:
Alkyl (60% C_{14}, 30% C_{16}, 5% C_{12}, 5% C_{18})
dimethyl benzyl ammonium chlorides............................2.25%
Alkyl (68% C_{12}, 32% C_{14})
dimethyl ethylbenzyl ammonium chlorides.....................2.25%
INERT INGREDIENTS..95.50%
Total..100.00%
KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO
FIRST AID
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
STORAGE AND DISPOSAL
DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.
CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.
AIRX LABORATORIES
P.O.Box 37, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com

AIRX 44HDQ
SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE
EPA Reg. No. 1839-95-44089
EPA Est. No. 1459-PA-01
ACTIVE INGREDIENTS:
Alkyl (60% C_{14}, 30% C_{16}, 5% C_{12}, 5% C_{18})
dimethyl benzyl ammonium chlorides............................2.25%
Alkyl (68% C_{12}, 32% C_{14})
dimethyl ethylbenzyl ammonium chlorides.....................2.25%
INERT INGREDIENTS..95.50%
Total..100.00%
KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO
FIRST AID
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
STORAGE AND DISPOSAL
DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.
CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.
AIRX LABORATORIES
P.O.Box 37, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com

AIRX 44HDQ
SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE
EPA Reg. No. 1839-95-44089
EPA Est. No. 1459-PA-01
ACTIVE INGREDIENTS:
Alkyl (60% C_{14}, 30% C_{16}, 5% C_{12}, 5% C_{18})
dimethyl benzyl ammonium chlorides............................2.25%
Alkyl (68% C_{12}, 32% C_{14})
dimethyl ethylbenzyl ammonium chlorides.....................2.25%
INERT INGREDIENTS..95.50%
Total..100.00%
KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO
FIRST AID
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
STORAGE AND DISPOSAL
DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.
CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.
AIRX LABORATORIES
P.O.Box 37, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com

AIRX 44HDQ
SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE
EPA Reg. No. 1839-95-44089
EPA Est. No. 1459-PA-01
ACTIVE INGREDIENTS:
Alkyl (60% C_{14}, 30% C_{16}, 5% C_{12}, 5% C_{18})
dimethyl benzyl ammonium chlorides............................2.25%
Alkyl (68% C_{12}, 32% C_{14})
dimethyl ethylbenzyl ammonium chlorides.....................2.25%
INERT INGREDIENTS..95.50%
Total..100.00%
KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO
FIRST AID
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
STORAGE AND DISPOSAL
DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.
CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.
AIRX LABORATORIES
P.O.Box 37, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com