AIRx 75

SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides	0.105%
n-Alkyl (68% C12, 32% C14)	
dimethyl ethylbenzyl ammonium chlorides	0.105%
INERT INGREDIENTS	99.790%
TOTAL	100.000%

EPA Reg. No. 1839-83-44089
EPA Est. No. 1459-PA-01

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

AIRX LABORATORIES
P.O.Box 37, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com

AIRx 75

SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS:
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
dimethyl benzyl ammonium chlorides 0.105%
n-Alkyl (68% C12, 32% C14)
dimethyl ethylbenzyl ammonium chlorides..... 0.105%
INERT INGREDIENTS..... 99.790%
TOTAL 100.000%

EPA Reg. No. 1839-83-44089
EPA Est. No. 1459-PA-01

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

AIRX LABORATORIES
P.O.Box 37, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com

AIRx 75

SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS:
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
dimethyl benzyl ammonium chlorides 0.105%
n-Alkyl (68% C12, 32% C14)
dimethyl ethylbenzyl ammonium chlorides..... 0.105%
INERT INGREDIENTS..... 99.790%
TOTAL 100.000%

EPA Reg. No. 1839-83-44089
EPA Est. No. 1459-PA-01

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

AIRX LABORATORIES
P.O.Box 37, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com

AIRx 75

SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS:
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
dimethyl benzyl ammonium chlorides 0.105%
n-Alkyl (68% C12, 32% C14)
dimethyl ethylbenzyl ammonium chlorides..... 0.105%
INERT INGREDIENTS..... 99.790%
TOTAL 100.000%

EPA Reg. No. 1839-83-44089
EPA Est. No. 1459-PA-01

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

AIRX LABORATORIES
P.O.Box 37, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com

AIRx 75

SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS:
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
dimethyl benzyl ammonium chlorides 0.105%
n-Alkyl (68% C12, 32% C14)
dimethyl ethylbenzyl ammonium chlorides..... 0.105%
INERT INGREDIENTS..... 99.790%
TOTAL 100.000%

EPA Reg. No. 1839-83-44089
EPA Est. No. 1459-PA-01

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

AIRX LABORATORIES
P.O.Box 37, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com