IIIX 78PLUS

SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS:	
Didecyl Dimethyl Ammonium Chloride	5.07%
Alkyl (50% C14, 40% C12, 10% C16)	
Dimethyl Ethylbenzyl Ammonium Chloride	3.38%
OTHER INGREDIENTS:	<u>91.55%</u>
TOTAL:	

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

EPA Reg. No. 10324-155-44089 EPA Est. No. 1459-PA-01

FIRST AID In case of emergency, call a poison control center or doctor for treatment advice

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then artificial respiration, preferably mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage

STORAGE AND DISPOSAL DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

AIRX LABORATORIES P.O.Box 37, Folcroft, PA19032 (610) 534-8900 • Fax (610) 534-8912

www.airxlabs.com • email: sales@airxlabs.com



SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS:	
Didecyl Dimethyl Ammonium Chloride	5.07%
Alkyl (50% C14, 40% C12, 10% C16)	
Dimethyl Ethylbenzyl Ammonium Chloride	3.38%
OTHER INGREDIENTS:	<u>91.55%</u>
TOTAL:	
	FIRST AID



EPA Reg. No. 10324-155-44089

In case of emergency, call a poison control center or doctor for treatment advice

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then ificial respiration, preferably mouth-to-mouth, if possible. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. CONTAINER HANDLING - Norrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

AIRX LABORATORIES P.O.Box 37, Folcroft, PA19032 (610) 534-8900 • Fax (610) 534-8912 www.airxlabs.com • email: sales@airxlabs.com



SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS:

TOTAL:

Didecyl Dimethyl Ammonium Chloride..

Alkyl (50% C14, 40% C12, 10% C16)

Dimethyl Ethylbenzyl Ammonium Chloride.

NANT STATEMEN	ITS & DIRECTIONS FOR USE
	EPA Reg. No. 10324-155-44089
5.07%	EPA Est. No. 1459-PA-01

KEEP OUT OF REACH OF CHILDREN 3 38% DANGER PELIGRO 100.00%

FIRST AID In case of emergency, call a poison control center or doctor for treatment advice.

In case or energient, can a poison control cannot earlier to use in the antice and the antice. Hear the product container or loading with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue mining eye. IF ON SKIN: Take dow contaminated clothing, Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Have person sip a glass of water if able to wallow. Do not induce vomiting unless toll to do so by a poison control center or doctor. On ord give anything by modit to an unconscious person. Call a poison control center or doctor immediately for treatment arkies. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then dire artificial exercition performance. give artificial respiration, preferably mouth-to-mouth, if possible. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available. AIRX LABORATORIES P.O.Box 37, Folcroft, PA19032

(610) 534-8900 • Fax (610) 534-8912

www.airxlabs.com • email: sales@airxlabs.com



SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS:		EPA Reg. No. 10324-155-44089
Didecyl Dimethyl Ammonium Chloride	5.07%	EPA Est. No. 1459-PA-01
Alkyl (50% C14, 40% C12, 10% C16)		KEEP OUT OF REACH OF CHILDREN
Dimethyl Ethylbenzyl Ammonium Chloride	3.38%	
OTHER INGREDIENTS:	<u>91.55%</u>	DANGER PELIGRO
TOTAL:	100.00%	DANGENTELIUNO
	EIDET AID	

In case of emergency, call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lanses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available

AIRX LABORATORIES P.O.Box 37, Folcroft, PA19032 (610) 534-8900 • Fax (610) 534-8912 www.airxlabs.com • email: sales@airxlabs.com



SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS:		EPA Reg. No. 10324-155-44089
Didecyl Dimethyl Ammonium Chloride	5.07%	EPA Est. No. 1459-PA-01
Alkyl (50% C14, 40% C12, 10% C16)		KEED OUT OF DEACH OF CUIL DDEN
Dimethyl Ethylbenzyl Ammonium Chloride	3.38%	KEEP OUT OF REACH OF CHILDREN
OTHER INGREDIENTS:	<u>91.55%</u>	DANGER PELIGRO
TOTAL:	100.00%	DANGENTELIGINO
	FIDET AID	

In case of emergency, call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment, IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN: Take off contaminated dothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

AIRX LABORATORIES P.O.Box 37, Folcroft, PA19032 (610) 534-8900 • Fax (610) 534-8912 www.airxlabs.com • email: sales@airxlabs.com



SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS: Didecyl Dimethyl Ammonium Chloride	5.07%	EPA Reg. No. 10324-155-44089 EPA Est. No. 1459-PA-01
Alkyl (50% C14, 40% C12, 10% C16) Dimethyl Ethylbenzyl Ammonium Chloride OTHER INGREDIENTS:		KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO
TOTAL:		

In case of emergency, call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, it present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then observation preferable for the time interview.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

AIRX LABORATORIES P.O.Box 37, Folcroft, PA19032 (610) 534-8900 • Fax (610) 534-8912 www.airxlabs.com · email: sales@airxlabs.com