### SAFETY DATA SHEET (Prepared According to 29 CFR 1910, 1200)

SECTION 1 - IDENTIFICATION				
Trade Name: AIRX 101	Product Use: ALL PURPOSE CLEANER			
Supplier: AIRX LABORATORIES	Phone #: 800-444-8900	Emergency Phone #: 800-255-3924		
Address: 1640 Delmar Drive, PO Box 37, Folcroft,PA 19032	<sup>Code:</sup> 39-124A (NF)			

# SECTION 2 - HAZARDS IDENTIFICATION Classification: Causes mild skin irritation Causes serious eye Irritation GHS Hazard Statement: Physical Hazards: Health Hazards: Causes mild skin irritation, Causes serious eye Irritation Causes serious eye Irritation Precautionary Statements: Wear eye protection. Wash hands thoroughly after handling. If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, il present and easy to do. Continue rinsing, immediately call a poison control center or doctor. If on skin(or hair): Take off immediately all contaminated clothing. Wash with plenty of water. If skin irritation occurs: Get medical attention. Wash all contaminated clothing before reuse. In case of fire: use CO2, dry chemical, foam or water spray to extinguish. Store in a cool,

## all contaminated clothing before reuse. In case of lire: use CO2, dry chemical, foam or water spray to extinguish. Store in a cool, well-ventilated place. Dispose of contents and container in accordance with local, state and federal regulations. SECTION 3 - COMPOSIT/INFORMATION ON INGREDIENTS INGREDIENTS CAS NO. % BY WEll contents and container in accordance with local, state and federal regulations. Tetrasodium ethylenediamine tetraacetate 1-5 Sodium Xviene Sulfonate

INGREDIENTS	CAS NO.	% BY WEIGHT	PEL (TLV)
Tetrasodium ethylenediamine tetraacetate	64-02-8	1-5	Not est.
Sodium Xylene Sulfonate	1300-72-7	5-10	Not est.
Linear Alcohol Ethoxylate	68439-46-3	5-10	Not est.
Dipropylene Glycol Methyl Ether	34590-94-8	1-5	see below
Citric Acid	77-92-9	<1%	Not est.

<sup>\*</sup> The specific chemical identity and exact percentage of this ingredient have been withheld as a trade secret.

ECTION 4 - HEALTH INFORMATION - FIRST AID MEASURES
ymptoms & Acute Effects: Causes skin and eye Irritation.
elayed Effects: None known
pical Routes of Exposure; are the skin and eyes.
TREATMENT
yes; If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a physician
kin: If on skin(or hair); Immediately remove all contaminated clothing. Wash with plenty of water. If skin irritation occurs: Get medical attention. Wash all contaminated clothing before reuse.
gestion; Drink large quantities of milk or water. Call a physician.
nhalation; Not applicable

SECTION 5 - FIRE-FIGHTIN	G MEASUR	ES						
Flash Point: 200 F.		Lower Explosi	ve Lin	nit: Not available	Upper Ex	plosive Limit; Not available		
Extinguishing Techniques: In cas	e of fire: use	CO2, dry ch	emic	al, foam, water s	pray to extinguis	sh.		
Equipment: Do not enter any co	nfined fire-s	paces withou	t prot	ective clothing a	nd self-containe	d air supply.		
Chemical Hazards from Fire: Car	bon monoxid	de and unide	ntified	l organic gases r	may occur during	incomplete combustion.		
Precautions for Fire Fighters: Co	ol fire expos	ed containers	S.					
SECTION 6 - ACCIDENTAL	RELEASE N	MEASURES						
Steps to be Taken: SMALL AMO then shovel in	UNTS - Abso nto appropria	orb with suital Itely labeled o	ble ab contai	sorbent. LARGE ners.	AMOUNTS - Ab	sorb with suitable absorbent,		
Cleanup Procedures: Contain v requireme	vith absorb ents.	ent materia	l and	dispose of in	accordance wi	ith federal, state and local		
SECTION 7 - HANDLING AN	ND STORAG	ìE						
Precautions to be Take in Handling & Storage:	in a cool,	well-ventil	atec	l place.				
Incompatibility: Strong oxidizers	3							
	0.0.0.000							
SECTION 8 - EXPOSURE CONTR		IAL PROTECT	IUN		EVDOOS	IDC LIMITO		
	DIENTS:		**************************************	100mm TM/A		IRE LIMITS		
Dipropylene Glycol Methyl Eth	eı			Тоорриттуул	100ppm TWA(OSHA)100 ppm(ACGIH			
						· · · · · · · · · · · · · · · · · · ·		
Eye Protection: 🗸	Protective (	Gloves:		Respiratory Pr	rotection:			
Ventilation Requirements	Local Exaus			Mechanical:		Room Ventilation is Adequate:		
				1		- Inches		
SECTION 9 - PHYSICAL AN	ID CHEMIC	AL PROPER	TIES	3				
Appearance & Odor: Blue liquid				1	nits: Upper: Not a	avallable Lower; Not available		
Boiling Point (°F): Appx. 212	<del></del>	avity (H20) (±1	0.005		• • •	pH (± 0.5) 10.5		
Vapor Pressure (mm Hg) Not available  Vapor Density (Air=1) Not available								
	nplete	Insoluble		Emulsifiable (or	<del></del>	Slightly (or Partial)		
Evaporation Rate (vs H2O)	Fas	ter		<u> </u>	✓ About the Sa			
Flash Point (T.C.C.): 200 °F	Odor Thres	hold: Not ava	ilable	Melting point/fro	zen point: Not available	Partition Coefficient: n-octanol/water: Not available		
Auto-Ignition Temperature: Not available Decomposition Temperature: Not available Viscosity: Not available								
- Wallett								
SECTION 10 - STABILITY A	ND REACT	IVITY						
Stability: Stable				Incompatibility	y; Strong oxidize	rs		
Hawardon Danesan saide Duade	icts: Carbon	monovide en	d unio	tentified organic	gases may occur	during incomplete combustion.		

SECTION 11 - TOXICOLOGICAL INFORMA	TION							
Acute Toxicity: LD50/oral/rat >5,000 mg/kg			Skin Sensitization: Not a sensitizer					
Skin Irritation: Causes skin irritation	N		Mutagenicity: Not a mutagen					
Eye Irritation: Causes eye irritation		roductive Toxicity: None						
Carcinogen/Suspect Carcinogen Ingredients:	NTP		OSHA		ARC	V	NONE	

#### **SECTION 12 - ECOLOGICAL INFORMATION**

Ecotoxicity: Not reported

#### **SECTION 13 - DISPOSAL CONSIDERATIONS**

Waste Disposal Methods: Dispose of in accordance with applicable Federal, State and Local ordinances.

#### **SECTION 14 - TRANSPORT INFORMATION**

Not regulated by USDOT.

#### **SECTION 15 - REGULATORY INFORMATIOM**

All ingredients in this product are listed on the TSCA Inventory.

SARA 302 Health Hazard: Acute

SARA 313 Chemicals: None

SECTION 16 - OTHER INFORMATION			
DATE PREPARED: 08/07/2024			
HMIS HAZARD	RATINGS:		
HEALTH	2		
FLAMMABILITY	0		
REACTIVITY	0		
PERSONAL PROTECTION FOUIPMENT	В		